

FortiGate-51B

FortiGate-111C

WAN Optimization and Security
for SME, ROBO, and
CPE Networks

Datasheet

In order to comply with legislation and secure the valuable data traversing networks, small and medium enterprises (SME), remote offices and branch offices (ROBO), and customer premise equipment (CPE) networks need a security solution that integrates multiple attack recognition technologies into a single device. With limited budgets and modest remote resources, these smaller networks desire a cost effective solution that is simple to install, connect and maintain. Just as importantly, networks are ever-expanding and need a solution that leaves them with room to grow over time. Ideally, these networks could avoid the installation and maintenance complexities of numerous point products by combining multiple networking and security technologies into a single device.

The FortiGate-51B and FortiGate-111C are multi-function security devices that protect and connect remote and branch offices, retail networks, and telecommuters to centralized headquarter or regional offices. The FG-51B and FG-111C combine firewall, IPSec and SSL VPN, antivirus, antispam, intrusion prevention and web filtering into a single device to reduce the management costs and complexities of deploying each of these technologies independently. Taking advantage of the recently introduced FortiOS 4.0 operating system, the FG-51B and FG-111C also boast data leakage prevention, identity-based policies, IPS enhancements, and application control to offer protection against Web 2.0 threats and evasive applications and users. Because both of these FortiGate models ship with a built-in solid state disk drive, they can also support the new WAN Optimization features of FortiOS 4.0. This WAN Optimization functionality increases network performance by reducing the amount of communication and data transmitted between applications and servers across a WAN. In addition to the simplicity of uniting multiple ICSA-Labs certified security technologies on a single device, the FortiGate-51B and FortiGate-111C leverage the power of FortiOS 4.0 to reduce resource and bandwidth requirements and save networking costs.



FortiGate-51B



FortiGate-111C

Feature	Benefit
WAN Optimization	Reduced data transmission, bandwidth requirements, and server requirements translates into improved productivity, accelerated networks, and reduced networking costs
Enterprise-class UTM functionality in a single device	Lower cost of ownership and PCI compliance with a complete set of functions including firewall, intrusion prevention, IPSec VPN, SSL VPN, antivirus, antispam, antispysware, and URL filtering
FortiOS 4.0 advanced UTM feature set	FortiOS 4.0 introduces over 40 new features, including data leakage prevention, WAN optimization, identity-based policies, and application control for robust security policies
Integrated multi-port switch	Eliminates the need for external switches, and provides enhanced connectivity options
Multiple WAN interfaces	Dual 10/100/1000 WAN links for redundant ISP connections deliver higher availability with load balancing and failover
High-performance custom hardware	FortiASIC-CP6, the latest generation of FortiASIC, accelerates UTM functions to ensure security is never a bottleneck
Local hard disk drive	Facilitates compliance through local logging and quarantine, with auditable logs stored locally

	FG-51B	FG-111C
Hardware Specifications		
Total Interfaces	5	10
Ethernet WAN Ports	2 x 10/100	2 x 10/100/1000
Ethernet Internal Switch or Security Zone Ports	3 x 10/100	8 x 10/100
Storage	32 GB Solid State Drive	64 GB Solid State Drive
System Specifications		
Firewall Throughput – Avg Size Packets (512 byte)	50 Mbps	500 Mbps
IPSec VPN Throughput	48 Mbps	100 Mbps
Antivirus Throughput*	19 Mbps	65 Mbps
IPS Throughput*	30 Mbps	200 Mbps
Dedicated IPSec VPN Tunnels	20	1,500
Concurrent Sessions	25,000	400,000
New Sessions/Sec	2,000	10,000
Policies	2,000	4,000
Unlimited User Licenses	Yes	Yes
Dimensions		
Height, Width, Length	1.38 x 8.63 x 5.8 inches (3.51 x 21.92 x 14.73 cm)	1.8 x 13 x 10 inches (4.6 x 33 x 25.4 cm)
Weight	1.5 lbs (.68 kg)	6 lbs (2.7 kg)
Input Voltage	100-240 VAC, 50-60 Hz, 8.0 Amp (Max)	90 - 240 VAC, 50 - 60 Hz, 2.0 Amp (Max)
Power Consumption (AVG)	6W	55W
Environment		
Operating temperature	32 to 104 deg F (0 - 40 deg C)	
Storage temperature	-13 to 158 deg F (-25 to 70 deg C)	
Humidity	5 to 95% non-condensing	
Compliance	FCC Class B Part 15, UL/CUL, C Tick, CE, VCCI	FCC Class A Part 15, UL/CUL, C Tick, VCCI
* Antivirus performance is measured based on HTTP traffic with 32Kbyte file attachments and IPS performance is measured based on UDP traffic with 512byte packet size. Actual performance may vary depending on network traffic and environments.		

The Fortinet Product Family


The FortiGate-51B and FortiGate-111C multi-function security appliances protect and connect ROBO, SMB and CPE networks, and are complemented by additional members of the FortiGate multi-threat security appliance family, the FortiDB database security family, the FortiWeb web security family, the FortiMail email security family, the FortiClient endpoint security family, and the FortiManager and FortiAnalyzer centralized management, reporting and logging solutions.

Fortinet's ASIC-Based Advantage

FortiASIC is the foundation of Fortinet's unique hardware technology. FortiASIC is a family of purpose built, high-performance network and content processors that uses an intelligent proprietary content scanning engine and multiple algorithms to accelerate compute-intensive security services. FortiASIC provides the performance required to deliver enterprise and carrier-class UTM services. Coupled with the FortiOS security hardened Operating System, FortiASIC delivers extreme performance and security.

FortiOS 4.0: Redefining Network Security

FortiOS 4.0 is the software foundation of FortiGate multi-threat security platforms. Developed solely for security, performance and reliability, it is a purpose-built operating system that leverages power of the FortiASIC content and network processors. FortiOS enables a comprehensive suite of security services – content inspection firewall, IPS, antivirus, web filtering, antispam, IM/P2P, virtual network security and bandwidth shaping. Recent improvements to FortiOS include identity-based policies, IPS enhancements, application control, WAN optimization, and data leakage prevention.



FORTINET®

GLOBAL HEADQUARTERS

Fortinet Incorporated
1090 Kifer Road, Sunnyvale, CA 94086 USA
Tel +1-408-235-7700 Fax +1-408-235-7737
www.fortinet.com/sales

EMEA SALES OFFICE-FRANCE

Fortinet Incorporated
120 Rue Albert Caquot
06560 Sophia Antipolis, France
Tel +33-4-8987-0510 Fax +33-4-8987-0501

APAC SALES OFFICE-SINGAPORE

Fortinet Incorporated
61 Robinson Road, #09-04 Robinson Centre
Singapore 068893
Tel: +65-6513-3730 Fax: +65-6223-6784 7259



Copyright© 2009 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, and FortiGuard®, are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance metrics contained herein were attained in internal lab tests under ideal conditions. Network variables, different network environments and other conditions may affect performance results, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding contract with a purchaser that expressly warrants that the identified product will perform according to the performance metrics herein. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any guarantees. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Certain Fortinet products are licensed under U.S. Patent No. 5,623,600. FG-51B_111C-DAT-R1-0509